



## GPWV2.E208866 Fans, Electric - Component

[Page Bottom](#)

### Fans, Electric - Component

[See General Information for Fans, Electric - Component](#)

#### PELKO MOTORS INC

E208866

1ST FL

53 LANE 201 TZU CHIANG RD

TAMSUI, TAIPEI HSIEN 251 TAIWAN

**AC Fans**, Models PM1238 (A) (B) (C), PM1238 (A) (B) (C)-7, where (A) may be L, M or H, (B) may be A1 or A2, (C) may be S or B.

Models PM1751 (A) (B) (C), PM1751 (A) (B) (C)-7, PM8025 (A) A1 (C), PM8025 (A) A1 (C)-7, PM8025HA2 (C), PM8025HA2 (C)-7, PM9225H (B) (C), PM9225H (B) (C)-7, PM9225LA1 (C), PM9225LA1 (C)-7, PM1225 (A) A1 (C), PM1225 (A) A1 (C)-7, PM1225HA2 (C), PM1225HA2 (C)-7, PM1225LA2 (C), PM1225LA2 (C)-7, PM8038 (A) (B) (C), PM8038 (A) (B) (C)-7, where (A) may be L, M or H, (B) may be A1 or A2, (C) may be S or B.

Model PM1751(Z)A(W)(X)A(Y)-5 Series, where (W) may be 1 or 2, (X) may be C, B or S, (Y) may be T or L, (Z) may be H, M or L.

**DC Fans**, Model P1225Y48BACZ7, where P may be P, G or R, 25 may be 25 or 32, Y may be Y, X, H, M or L, 48 may be 12, 24 or 48, B may be B, S, C or R, A may be A, P, X or M, C may be T, L or C, Z may be B, A or P, 7 may be 1, 2, 3, 4, 5, 6 or 7.

Models P1238Y24BACZ(7), P1238(X)(W)(Y)ALB(7)-4B, where P may be P, G or R, Y may be Y, X, H, M or L, 24 may be 12, 24 or 48, B may be B, S, C or R, A may be A, P, X or M, C may be T, L or C, Z may be B, A or P, (7) may be 1, 2, 3, 4, 5, 6 or 7, (X) may be Y, X, H, M or L, (W) may be 12, 24 or 48, (Y) may be \*B or S; Model P1751H12BACZ(7), where P may be P, G or R, H may be H, M or L, B may be B, S, C or R, A may be A, P, X or M, C may be T, L or C, Z may be B, A or P, (7) may be 1, 2, 3, 4, 5, 6 or 7; Model P1751Y24BACZ(7), where P may be P, G or R, Y may be Y, X, H, M or L, 24 may be 24 or 48, B may be B, S, C or R, A may be A, P, X or M, C may be T, L or C, Z may be B, A or P, (7) may be 1, 2, 3, 4, 5, 6 or 7.

Model C2510H12BPTZ7, where C may be C or D, 25 may be 25 or 30, H may be H, M or L, B may be B, S, C or R, P may be A, P, X or M, T may be T, L or C, Z may be B, A or P, 7 may be 1 thru 7.

Model C4010H12BPTZ3, where C may be C or D, 10 may be 10 or 20, H may be H, M or L, B may be B, S, C or R, P may be A, P, X or M, T may be T, L or C, Z may be B, A or P, 3 may be 1 thru 7.

Model C5010H12BPTZ3, where C may be C or D, 10 may be 10 or 15, H may be H, M or L, B may be B, S, C or R, P may be A, P, X or M, T may be T, L or C, Z may be B, A or P, 3 may be 1 thru 7.

Model C6010H12BPTZ3, where C may be C or D, H may be H, M or L, 12 may be 12 or 24, B may be B, S, C or R, P may be A, P, X or M, T may be T, L or C, Z may be B, A or P, 3 may be 1 thru 7; Model C6020H12BPTZ3, where C may be C or D, 20 may be 20 or 25, H may be X, H, M or L, 12 may be 12, 24 or 48, B may be B, S, C or R, P may be A, P, X or M, T may be T, L or C, Z may be B, A or P, 3 may be 1 thru 7.

Model D7025X12BPTZ3, where D may be C or D, 70 may be 70 or 92, X may be X, H, M or L, 12 may be 12, 24 or 48, B may be B, S, C or R, P may be A, P, X or M, T may be T, L or C, Z may be B, A or P, 3 may be 1 thru 7.

Model D8015X12BPTZ3, where D may be C or D, 15 may be 15 or 25, X may be X, H, M or L, 12 may be 12, 24 or 48, B may be B, S, C or R, P may be A, P, X or M, T may be T, L or C, Z may be B, A or P, 3 may be 1 thru 7.

Model DC followed by H, L or M, followed by 05 or 12, followed by (B)X, where (B) may be B, S, C, P or M, X may be 0 thru 9 or A thru Z or blank.

Models (X)2510(U)05(W1)(P)(Q)(R)(S)(t), (X)3010(U)05(W1)(P)(Q)(R)(S)(t), where (X) may be C or D, (U) may be H, M or L, (W1) may be B, C, R or S, (P) may be P or X, (Q) may be T, L or C, (R) may be B, A, P or O, (S) may be 1 thru 9, (t) may be 0 through 9, a through z or blank.

Models (X)4010(U)05(W1)(P)(Q)(R)(S)(t), (X)4010(U)24(W1)(P)(Q)(R)(S)(t), (X)4020(U)05(W1)(P)(Q)(R)(S)(t), (X)4020(E)12(W1)(P)(Q)(R)(S)(t), (X)4020(U)24(W1)(P)(Q)(R)(S)(t), where (X) may be C or D, (U) may be H, M or L, (E) may be Y, H, M or L, (W1) may be B, C, R or S, (P) may be P or X, (Q) may be T, L or C, (R) may be B, A, P or O, (S) may be 1 thru 9, (t) may be 0 through 9, a through z or blank.

Models (X)5010(U)05(W1)(P)(Q)(R)(S)(t), (X)5010(U)24(W1)(P)(Q)(R)(S)(t), (X)5015(U)05(W1)(P)(Q)(R)(S)(t), (X)5015(U)24(W1)(P)(Q)(R)(S)(t), where (X) may be C or D, (U) may be H, M or L, (W1) may be B, C, R or S, (P) may be P or X, (Q) may be T, L or C, (R) may be B, A, P or O, (S) may be 1 thru 9, (t) may be 0 through 9, a through z or blank.

Models (C)6010(U)05(W1)(P)(Z)(R)(S)(t), (X)6020(A)05(W1)(P)(Z)(R)(S)(t), (X)6020(D)12(W1)(P)(Z)(R)(S)(t), (X)6020(D)24(W1)(P)(Z)(R)(S)(t), (X)6025(A)05(W1)(P)(Z)(R)(S)(t), (X)6025(D)12(W1)(P)(Z)(R)(S)(t), (X)6025(D)24(W1)(P)(Z)(R)(S)(t), (X)6025(A)05(W1)(Y)(Z)(R)(S)(t)-5, (X)6025(B)12(W1)(Y)(Z)(R)(S)(t)-5, (X)6025(B)24(W1)(Y)(Z)(R)(S)(t)-5, D6025(B)48(W1)(Y)(Z)(R)(S)(t)-5, where (C) may be C or D, (U) may be H, M or L, (A) may be X, H, M or L, (D) may be Y, X, H, M or L, (R) may be R or C, (X) may be C, D or R, (W1) may be B, C, R or S, (P) may be P or X, (Y) may be A, P, X or M, (Z) may be T, L or C, (R) may be B, A, O or P, (S) may be 1 thru 9, (t) may be 0 through 9, a through z or blank.

Models R7025(U)05(W1)(P)(Q)(R)(T)(t), R7025(E)12(W1)(P)(Q)(R)(T)(t), R7025(E)24(W1)(P)(Q)(R)(T)(t), R9225(U)05(W1)(P)(Q)(R)(T)(t), R9225(E)12(W1)(P)(Q)(R)(T)(t), R9225(E)24(W1)(P)(Q)(R)(T)(t), where (U) may be X, H, M or L, (E) may be Y, X, H, M or L, (W1) may be B, C, R or S, (P) may be P or X, (Q) may be T, L or C, (R) may be B, A, P or O, (T) may be 1 thru 7, (t) may be 0 through 9, a through z or blank.

Models R8015(U)05(W1)(P)(Q)(R)(S)(t), R8015(E)12(W1)(P)(Q)(R)(S)(t), R8015(E)24(W1)(P)(Q)(R)(S)(t), R8025(U)05(W1)(P)(Q)(R)(S)(t), R8025(E)12(W1)(P)(Q)(R)(S)(t), R8025(F)24(W1)(P)(Q)(R)(S)(t), where (U) may be X, H, M or L, (E) may be Y, X, H, M or L, (F) may be Y, H, M or L, (W1) may be B, C, R or S, (P) may be P or X, (Q) may be T, L or C, (R) may be B, A, P or O, (S) may be 1 thru 9, (t) may be 0 through 9, a through z or blank.

Models R1225(U)05(W1)(P)(Q)(R)(S)(t), R1232(U)05(W1)(P)(Q)(R)(S)(t), R1238(U)05(W1)(P)(Q)(R)(S)(t), where (U) may be H, M or L, (W1) may be B, C, R or S, (P) may be P or X, (Q) may be T, L or C, (R) may be B, A, P or O, (S) may be 1 thru 9, (t) may be 0 through 9, a through z or blank.

Models (A)1230(U)12(W1)M(Q)(R)(T)b(t), (A)1230(U)24(W1)M(Q)(R)(T)b(t), (A)1230(U)48(W1)M(Q)(R)(T)b(t), (A)1232(U)48(W1)A(Q)(R)(T)b(t), where (A) may be P, R or G, (U) may be Y, X, H, M or L, (W1) may be B, C, R or S, (Q) may be T, L or C, (R) may be B, A, P or O, (T) may be 1 through 7, (t) may be 0 through 9, a through z or blank; Models (A)1232(D)12(W1)(Y)(Z)(R)(T)(t)-5, (A)1232(D)24(W1)(Y)(Z)(R)(T)(t)-5, (A)1232(D)48(W1)(Y)(Z)(R)6(t)-5, (A)1232(D)12BA(Z)(R)(T)b(t), (A)1232(D)24BA(Z)(R)(T)b(t), where (A) may be R, G or P, (D) may be Y, X, H, M, L, (W1) may be B, C, R or S, (Y) may be A, P, X or M, (Z) may be T, L or C, (R) may be B, A, O or P, (T) may be 1 through 7, (t) may be 0 through 9, a through z or blank.

Models R9232(E)05B(Y)(Z)(R)(T)(t), (A)9232(D)12B(Y)(Z)(R)(T)(t), (A)9232(D)24B(Y)(Z)(R)(T)(t), (A)9232(D)48B(Y)(Z)(R)(T)(t), where (E) may be H, M or L, (A) may be P, R or G, (D) may be Y, X, H, M, L, (Y) may be A, P, X or M, (Z) may be T, L or C, (R) may be B, A, P or O, (T) may be 1 through 7, (t) may be 0 through 9, a through z or blank.

Models (U)1751(P)12(V)(W)(X)(Y)(7)(Z)-5, (U)1751(S)24(V)(W)(X)(Y)(7)(Z)-5, (U)1751(S)48(V)(W)(X)(Y)(7)(Z)-5, (U)1238(S)12(V)(W)(X)(Y)(7)(Z)-5, (U)1238(S)24(V)(W)(X)(Y)(7)(Z)-5, (U)1238(S)48(V)(W)(X)(Y)(7)(Z)-5 series, where (U) may be P, R or G, (P) may be H, M or L, (S) may be Y, X, H, M or L, (V) may be S, B, C or R, (W) may be A, P, X or M, (X) may be T, L or C, (Y) may be P, B, A or O, (7) may be 1 through 9, (Z) may be 0 through 9, a through z, A through Z or blank.

Models FD121225(X)(Y), FD129225(X)(Y), FD122510(X)(Y), FD1297337(Y) series, where (X) may be 5 or 7, (Y) may be S1, B1 or B2.

Model FD(a)(b)(c)(d)(e)(f) series, where (a) may be 12, (b) may be 8025, 8015, 7025, 7015, 6025, 6015, 5015, 5010, 4020 or 4010, (c) may be 3, 5 or 7, (d) may be B-1, B-2 or S-1, (e) may be A, B, C, D, E, F, G, H, K or N, (f) may be N or H.

Models FD48200705B2, FD24200705B2, BD12105265B2.

Models P1128038MB2F, P1128038HB2F, P1248038(X)B2F, P1488038(X)B2F, P1129238MB2F, P1129238HB2F, P1249238(X)B2F, P1489238(X)B2F, P11212038MB2M, P11212038HB2M, P12412038(X)B2M, P14812938(X)B2M, P11217562UB2M, P12417562UB2M, P14817562UB2M, BD127530(Y)(Z), FD123010(Y)(Z), FD1213255(Z), FD1213253(Z), FD1214253(Z), FD1214255(Z) Series, where (X) may be M, H or U, (Y) may be 7, 5 or 3, (Z) may be S1, B1 or B2.

Models FD052510(A)(X), FD124015(B)(X), FD124020(B)(X), FD244020(B)(X), FD126010(A)(X), FD126020(A)(X), FD246025(A)(X), FD057015(C)(X), FD058015(D)(X), FD481238(E)(X) series, where (A) may be V, S, 7, 5 or 3, (B) may be U, V, S, 7, 5 or 3, (C) may be 7, 5, 3, 2, 1 or E, (D) may be 7, 5, 3 or 2, (E) may be 5 or 3, and (X) may be B2, B1, S1 or ERB.

Models K8038L12B(P)(L)(B)(2)-7, K8038M12B(P)(L)(B)(2)-7, K8038H12B(P)(L)(B)(2)-7, K8038X12B(P)(L)(B)(2)-7, K8038L24B(P)(L)(B)(2)-7, K8038M24B(P)(L)(B)(2)-7, K8038H24B(P)(L)(B)(2)-7, K8038X24B(P)(L)(B)(2)-7, K8038Y24B(P)(L)(B)(2)-7, K8038L48B(P)(L)(B)(2)-7, K8038M48B(P)(L)(B)(2)-7, K8038H48B(P)(L)(B)(2)-7, K8038X48B(P)(L)(B)(2)-7, K8038Y48B(P)(L)(B)(2)-7, K9238L12B(P)(L)(B)(2)-7, K9238M12B(P)(L)(B)(2)-7, K9238H12B(P)(L)(B)(2)-7, K9238L24B(P)(L)(B)(2)-7, K9238M24B(P)(L)(B)(2)-7, K9238H24B(P)(L)(B)(2)-7, K9238X24B(P)(L)(B)(2)-7, K9238L48B(P)(L)(B)(2)-7, K9238M48B(P)(L)(B)(2)-7, K9238H48B(P)(L)(B)(2)-7, K9238X48B(P)(L)(B)(2)-7, R8038L12B(P)(L)(B)(2)-7, R8038M12B(P)(L)(B)(2)-7, R8038H12B(P)(L)(B)(2)-7, R8038X12B(P)(L)(B)(2)-7, R8038L24B(P)(L)(B)(2)-7, R8038M24B(P)(L)(B)(2)-7, R8038H24B(P)(L)(B)(2)-7, R8038X24B(P)(L)(B)(2)-7, R8038Y24B(P)(L)(B)(2)-7, R8038L48B(P)(L)(B)(2)-7, R8038M48B(P)(L)(B)(2)-7, R8038H48B(P)(L)(B)(2)-7, R8038X48B(P)(L)(B)(2)-7, R8038Y48B(P)(L)(B)(2)-7, R9238L12B(P)(L)(B)(2)-7, R9238M12B(P)(L)(B)(2)-7,

(B)(2)-7, R9238H12B(P)(L)(B)(2)-7, R9238L24B(P)(L)(B)(2)-7, R9238M24B(P)(L)(B)(2)-7, R9238H24B(P)(L)(B)(2)-7, R9238X24B(P)(L)(B)(2)-7, R9238L48B(P)(L)(B)(2)-7, R9238M48B(P)(L)(B)(2)-7, R9238H48B(P)(L)(B)(2)-7, R9238X48B(P)(L)(B)(2)-7<.prodid>, where (P) may be "P" or "X", (L) may be "L", "T" or "C", (B) may be "B", "A", "P" or "O", (2) may be "1", "2", "3", "5", "6", "7" or "8".

Marking: Company name or trade name "E208866" and model designation.

Last Updated on 2010-04-23

---

[Questions?](#)

[Print this page](#)

[Notice of Disclaimer](#)

[Page Top](#)

[Copyright ?2010 Underwriters Laboratories Inc.®](#)

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Listed and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Designs and/or Listings (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from Underwriters Laboratories Inc." must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "Copyright © 2010 Underwriters Laboratories Inc.®"

An independent organization working for a safer world with integrity, precision and knowledge.

